		9		
L Number	Hits	Search Text	DB	Time stamp
4	1454	barrier with traffic	USPAT; US-PGPUB; JPO;	2003/12/11 13:42
5	12	(barrier with traffic) and toy	DERWENT USPAT; US-PGPUB; JPO;	2003/12/11 13:41
6	51	116/\$.ccls. and (barrier with traffic)	DERWENT USPAT; US-PGPUB; JPO;	2003/12/11 13:52
7	1956	barrier same traffic	DERWENT USPAT; US-PGPUB; JPO;	2003/12/11 13:47
8	624	barrier same traffic and safety	DERWENT USPAT; US-PGPUB; JPO;	2003/12/11 13:43
9	31	116/\$.ccls. and (barrier same traffic and safety)	DERWENT USPAT; US-PGPUB; JPO;	2003/12/11 13:43
10	10886	(barrier or marker) and traffic	DERWENT USPAT; US-PGPUB; JPO;	2003/12/11 13:48
11	162	((barrier or marker) and traffic ) and toy	DERWENT USPAT; US-PGPUB; JPO;	2003/12/11 13:48
12	29588	116/\$.ccls.	DERWENT USPAT; US-PGPUB; JPO;	2003/12/11 13:52
13	3088	Faye Francis.xa.	DERWENT USPAT; US-PGPUB; JPO;	2003/12/11 13:53
14	2047	Francis.xa.	DERWENT USPAT; US-PGPUB; JPO;	2003/12/11 13:53
15	15	116/\$.ccls. and Francis.xa.	DERWENT USPAT; US-PGPUB; JPO;	2003/12/11 13:58
17	1	(jersey adj barrier) and toy	DERWENT USPAT; US-PGPUB; JPO;	2003/12/11 14:02
16	73	jersey adj barrier	DERWENT USPAT; US-PGPUB; JPO;	2003/12/11 14:01
18	762	((highway or road or jersey) adj barrier)	DERWENT USPAT; US-PGPUB; JPO;	2003/12/11 14:02
19	14	(((highway or road or jersey) adj barrier)) and toy	DERWENT USPAT; US-PGPUB; JPO;	2003/12/11 14:14
20	11	("D208789"   "D315752"   "D350168"   "D361952"   "D391513"   "D410705"   "D414826"   "D421235"   "D426588"   "3034254"   "5460115").PN.	DERWENT USPAT	2003/12/11 14:04

21					
"D410705"   "D414928"   "D421235"   "D426588"   "3034254"   USPAT USPAT: USPA	21	0	D444186.URPN.	USPAT	
23	22	11	("D208789"   "D315752"   "D350168"   "D361952"   "D391513"	USPAT	2003/12/11 14:05
24   27			"D410705"   "D414826"   "D421235"   "D426588"   "3034254"		
25			"5460115").PN.		
25   2   ("4946306").PN.   USP-GPUB, JPC; DERWENT USPAT; USP-AGRUB, JPC; DERWENT USPAT; USP	23	0	D439935.URPN.	USPAT	2003/12/11 14:05
25   2   ("4946306").PN.	24	27	"4946306"	USPAT;	2003/12/11 14:15
25				US-PGPUB;	
25		}		JPO;	
26					
26	25	2	("4946306").PN.	USPAT:	2003/12/11 14:15
26				US-PGPUB:	
26				JPO:	
27					
27	26	7	("4113400"   "4224002"   "4406563"   "4661010"   "4681302"	USPAT	2003/12/11 14:15
6 ("2279942"  "3503600"   "3540699"   "3980279"  "4059362"   USPAT 2003/12/11 14:15 4/461137).PN. 4773629 URPN. 9 ("4059362"   "4773629 URPN. 9 ("4059362"   "4773629"   "4946306"   USPAT 2003/12/11 14:18 USPAT 2003/12/11 13:39 USPAT 2003/12/11 13:48 USPAT 2003/12/11 13:48 USPAT 2003/12/11 13:48 USPAT 2003/12/11 13:59 US			"4762438"   "4773629").PN.		
28	27	6	("2279942"   "3503600"   "3540699"   "3980279"   "4059362"	USPAT	2003/12/11 14:15
28					
9 ("4059362"  "4391077"  "4681302"  "4773629"  "4946308"   USPAT   2003/12/11 14:18   16 ("4113400") or ("4224002") or ("4405663") or ("4661010") or ("4681302") or ("4762438") or ("4773629").PN.  17   2 ("4946306").PN.  18   (446/74).CCLS.  18   (446/74).CCLS.) and (aperture or hole or opening)) and plastic   ((446/74).CCLS.) and (aperture or hole or opening)) and plastic   ((446/74).CCLS.) and (aperture or hole or opening)) and plastic   ((446/74).CCLS.) and (aperture or hole or opening)) and plastic   ((446/74).CCLS.) and (aperture or hole or opening)) and plastic   ((446/74).CCLS.) and (aperture or hole or opening)) and plastic   ((446/74).CCLS.) and (aperture or hole or opening)) and plastic   ((446/74).CCLS.) and (aperture or hole or opening)) and plastic   ((446/74).CCLS.) and (aperture or hole or opening)) and plastic   ((446/74).CCLS.) and (aperture or hole or opening)   (446/74).CCLS.)   (446/76).CCLS.) and (aperture or hole or opening)   (446/76).CCLS.)   (446/76).CCLS.) and (aperture or hole or opening)   (446/76).CCLS.)	28	22	4773629.URPN.	USPAT	2003/12/11 14:18
16	29	9	("4059362"   "4391077"   "4681302"   "4773629"   "4946306"	USPAT	
16					
C"4681302") or ("4762438") or ("4773629")).PN.   US-PGPUB; JPO; DERWENT USPAT; US-RGPUB; JPO; DERWENT USPAT; US-RGPUB; JPO; DERWENT USPAT; US-PGPUB; JPO;	_	16		USPAT:	2003/12/11 13:39
- 2 ("4946306").PN. USPAT: USP					
- 2 ("4946306").PN.  - 133 (446/74).CCLS.  - 39 (((446/74).CCLS.) and (aperture or hole or opening)) and plastic plastic and liquid plastic) and liquid plastic) and liquid plastic) and liquid plastic) and (aperture or hole or opening)) and plastic) and liquid plastic) and (aperture or hole or opening)) and plastic) and liquid plastic) and (aperture or hole or opening)) and plastic) and liquid plastic) and liquid plastic) and (aperture or hole or opening) with fill\$4  - 12 (((446/74).CCLS.) and (aperture or hole or opening)) with fill\$4  - 12 (((446/74).CCLS.) and (aperture or hole or opening) with fill\$4  - 12 (((446/74).CCLS.) and (aperture or hole or opening) with fill\$4  - 13 ((446/74).CCLS.) and (aperture or hole or opening) with fill\$4  - 13 ((446/74).CCLS.) and (aperture or hole or opening) with fill\$4  - 14 ((446/74).CCLS.) and (aperture or hole or opening) with fill\$4  - 15 ((446/74).CCLS.) and (aperture or hole or opening) with fill\$4  - 16 ((446/74).CCLS.) and (aperture or hole or opening) with fill\$4  - 17 ((446/74).CCLS.) and (aperture or hole or opening) with fill\$4  - 18 ((446/76).CCLS.) and (aperture or hole or opening) with fill\$4  - 19 ((446/76).CCLS.) and (aperture or hole or opening) with fill\$4  - 19 ((446/76).CCLS.) and (aperture or hole or opening) with fill\$4  - 19 ((446/76).CCLS.) and (aperture or hole or opening) with fill\$4  - 19 ((446/76).CCLS.) and (aperture or hole or opening) with fill\$4  - 19 ((446/76).CCLS.) and (aperture or hole or opening) with fill\$4  - 19 ((446/76).CCLS.) and (aperture or hole or opening) with fill\$4  - 19 ((446/76).CCLS.) and (aperture or hole or opening) with fill\$4  - 19 ((446/76).CCLS.) and (aperture or hole or opening) with fill\$4  - 10 ((446/76).CCLS.) and (aperture or hole or opening) with fill\$4  - 10 ((446/76).CCLS.) and (aperture or hole or opening) with fill\$4  - 10 ((446/76).CCLS.) and (aperture or hole or opening) with fill\$4  - 10 ((446/76).CCLS.) and (aperture or hole or opening) with fill\$4  - 10 ((446/76).CCLS.) and (aperture or hole or openi	1				
- 2 ("4946306").PN. USPAT: USPGPUB; JPC; DERWENT USPAT: USPAT: USPGPUB; JPC; DERWENT USPAT: USPAT: USPGPUB; JPC; DERWENT USPAT: USPG					
- 133 (446/74).CCLS. and (aperture or hole or opening)) and plastic us.PGPUB; JPO; DERWENT	-	2	("4946306").PN.		2003/12/01 13:13
- 133 (446/74).CCLS.   JPC; DERWENT USPAT; US-PGPUB; JPO; DERWENT		1			
- 133 (446/74).CCLS 39 (((446/74).CCLS.) and (aperture or hole or opening)) and plastic (((446/74).CCLS.) and (aperture or hole or opening)) and polymer ((((446/74).CCLS.) and (aperture or hole or opening)) and plastic) and liquid (((446/74).CCLS.) and (aperture or hole or opening)) and plastic) and liquid (((446/74).CCLS.) and ((aperture or hole or opening)) and plastic) and liquid (((446/74).CCLS.) and ((aperture or hole or opening)) with fill\$4) (((446/74).CCLS.) and ((aperture or hole or opening)) (((446/74).CCLS.) and (aperture or hole or opening)					
- 39 (((446/74).CCLS.) and (aperture or hole or opening)) and plastic   US-PGPUB; JPO; DERWENT US-PAT; US-PGPUB; JPO; DERWENT US-PGPUB; J					
- 39 (((446/74).CCLS.) and (aperture or hole or opening)) and plastic   US-PGPUB; JPO; DERWENT US-PAT; US-PGPUB; JPO; DERWENT US-PGPUB; J	ļ <b>-</b>	133	(446/74).CCLS.		2003/12/01 13:48
- 39 (((446/74).CCLS.) and (aperture or hole or opening)) and plastic - 2 (((446/74).CCLS.) and (aperture or hole or opening)) and polymer - 2 (((446/74).CCLS.) and (aperture or hole or opening)) and plastic) and liquid - 21 (((446/74).CCLS.) and (aperture or hole or opening)) and plastic) and liquid - 12 (((446/74).CCLS.) and ((aperture or hole or opening)) with fill\$4) - 12 (((446/74).CCLS.) and ((aperture or hole or opening)) with fill\$4) - 57 (((446/74).CCLS.) and ((aperture or hole or opening)) - 135 (446/176).CCLS.) and (aperture or hole or opening) - 68 ((446/176).CCLS.) and (aperture or hole or opening) - 68 ((446/176).CCLS.) and (aperture or hole or opening) - 3287 (446/85-128).CCLS 135 (446/85-128).CCLS.					
- 39 (((446/74).CCLS.) and (aperture or hole or opening)) and plastic - 2 (((446/74).CCLS.) and (aperture or hole or opening)) and polymer - 21 ((((446/74).CCLS.) and (aperture or hole or opening)) and plastic) and liquid - 21 ((((446/74).CCLS.) and (aperture or hole or opening)) and plastic) and liquid - 12 (((446/74).CCLS.) and ((aperture or hole or opening)) and plastic) and liquid - 12 (((446/74).CCLS.) and ((aperture or hole or opening)) with fill\$4) - 13 (((446/74).CCLS.) and ((aperture or hole or opening)) - 135 ((446/74).CCLS.) and (aperture or hole or opening) - 135 ((446/76).CCLS.) and (aperture or hole or opening) - 136 ((446/176).CCLS.) and (aperture or hole or opening) - 137 ((446/176).CCLS.) and (aperture or hole or opening) - 138 ((446/176).CCLS.) and (aperture or hole or opening) - 138 ((446/176).CCLS.) and (aperture or hole or opening) - 139 ((446/176).CCLS.) and (aperture or hole or opening) - 130 ((446/176).CCLS.) and (aperture or hole or opening) - 130 ((446/176).CCLS.) and (aperture or hole or opening) - 130 ((446/176).CCLS.) and (aperture or hole or opening) - 130 ((446/176).CCLS.) and (aperture or hole or opening) - 130 ((446/176).CCLS.) and (aperture or hole or opening) - 131 ((446/176).CCLS.) and (aperture or hole or opening) - 132 ((446/176).CCLS.) and (aperture or hole or opening) - 133 ((446/176).CCLS.) and (aperture or hole or opening) - 134 ((446/176).CCLS.) and (aperture or hole or opening) - 135 ((446/176).CCLS.) and (aperture or hole or opening) - 136 ((446/176).CCLS.) and (aperture or hole or opening) - 137 ((446/176).CCLS.) and (aperture or hole or opening) - 138 ((446/176).CCLS.) and (aperture or hole or opening) - 137 ((446/176).CCLS.) and (aperture or hole or opening) - 138 ((446/176).CCLS.) and (aperture or hole or opening) - 139 ((446/176).CCLS.) and (aperture or hole or opening) - 140 ((446/176).CCLS.) and (aperture or hole or opening) - 150 ((446/176).CCLS.) and (aperture or hole or opening) - 150 ((446/176).CCLS.) and (aperture or hole or opening) - 150 ((446/176).CCLS					
- 20 (((446/74).CCLS.) and (aperture or hole or opening)) and plastic US-PGPUB; JPO; DERWENT US-PAT; US-PGPUB; JPO; DERWENT US-PAT; US-PAT	1				
Plastic   Plastic   US-PGPUB; JPO; DERWENT USPAT; US-PGPUB; JPO;	-	39	(((446/74).CCLS.) and (aperture or hole or opening)) and		2003/12/01 13:27
- 2 (((446/74).CCLS.) and (aperture or hole or opening)) and plastic) and liquid   USPAT; US-PGPUB; JPO; DERWENT				US-PGPUB:	
- 2 (((446/74).CCLS.) and (aperture or hole or opening)) and polymer   2003/12/01 13:27   USPAT; USPGPUB; JPO; DERWENT   USPAT; USPGPUB; JPO; DERWENT   USPAT; USPAT; USPGPUB; JPO; DERWENT   USPAT; USPAT; USPGPUB; JPO; DERWENT   USPAT; USPAT; USPGPUB; JPO; DERWENT   USPAT; USPG		:			
Disparsion of the properties of the properties of the plant of the p					
- 21 ((((446/74).CCLS.) and (aperture or hole or opening)) and plastic) and liquid  - 12 (((446/74).CCLS.) and ((aperture or hole or opening)) with fill\$4) USPAT; US-PGPUB; JPO; DERWENT	-	2	(((446/74).CCLS.) and (aperture or hole or opening)) and	1	2003/12/01 13:27
- 21 ((((446/74).CCLS.) and (aperture or hole or opening)) and plastic) and liquid ((446/74).CCLS.) and ((aperture or hole or opening) with fill\$4) ((446/74).CCLS.) and ((aperture or hole or opening) with fill\$4) ((446/74).CCLS.) and (aperture or hole or opening) ((446/74).CCLS.) ((446/76).CCLS.) and (aperture or hole or opening) ((446/76).CCLS.) ((446/76).CCLS				US-PGPUB:	
- 21 ((((446/74).CCLS.) and (aperture or hole or opening)) and plastic) and liquid  - 12 (((446/74).CCLS.) and ((aperture or hole or opening) with fill\$4)  - 57 (((446/74).CCLS.) and (aperture or hole or opening)  - 135 (446/176).CCLS.) and (aperture or hole or opening)  - 67 (((446/176).CCLS.) and (aperture or hole or opening)  - 68 (((446/176).CCLS.) and (aperture or hole or opening)  - 68 (((446/176).CCLS.) not (((446/176).CCLS.) and (aperture or hole or opening)  - 3287 (446/85-128).CCLS.					
Diastic   and liquid   US-PGPUB; JPO; DERWENT   US-PGPUB; JPO; DERWEN					
- 12 ((446/74).CCLS.) and ((aperture or hole or opening) with fill\$4)  - 57 ((446/74).CCLS.) and (aperture or hole or opening)  - 135 (446/176).CCLS.  - 67 ((446/176).CCLS.) and (aperture or hole or opening)  - 68 ((446/176).CCLS.) and (aperture or hole or opening)  - 135 (446/176).CCLS.) and (aperture or hole or opening)  - 136 (446/176).CCLS.) and (aperture or hole or opening)  - 137 (446/176).CCLS.) and (aperture or hole or opening)  - 138 (446/176).CCLS.) and (aperture or hole or opening)  - 148 (446/176).CCLS.) and (aperture or hole or opening)  - 157 ((446/176).CCLS.) and (aperture or hole or opening)  - 158 (446/176).CCLS.) and (aperture or hole or opening)  - 159 (446/176).CCLS.) and (aperture or hole or opening)  - 150 (446/176).CCLS.) and (aperture or hole or opening)  - 150 (446/176).CCLS.) and (aperture or hole or opening)  - 158 (446/176).CCLS.) and (aperture or hole or opening)  - 159 (446/176).CCLS.) and (aperture or hole or opening)  - 150 (446/176).CCLS.) and (aperture or hole or opening)  - 150 (446/176).CCLS.) and (aperture or hole or opening)  - 150 (446/176).CCLS.) and (aperture or hole or opening)  - 150 (446/176).CCLS.) and (aperture or hole or opening)  - 150 (446/176).CCLS.) and (aperture or hole or opening)  - 150 (446/176).CCLS.) and (aperture or hole or opening)  - 150 (446/176).CCLS.) and (aperture or hole or opening)  - 150 (446/176).CCLS.) and (aperture or hole or opening)  - 150 (446/176).CCLS.) and (aperture or hole or opening)  - 150 (446/176).CCLS.) and (aperture or hole or opening)  - 150 (446/176).CCLS.) and (aperture or hole or opening)  - 150 (446/176).CCLS.) and (aperture or hole or opening)  - 150 (446/176).CCLS.) and (aperture or hole or opening)  - 150 (446/176).CCLS.) and (aperture or hole or opening)  - 150 (446/176).CCLS.) and (aperture or hole or opening)  - 150 (446/176).CCLS.) and (aperture or hole or opening)	-	21		USPAT;	2003/12/01 13:53
- 12 ((446/74).CCLS.) and ((aperture or hole or opening) with fill\$4) USPAT; US-PGPUB; JPO; DERWENT US-PGPUB;			plastic) and liquid	US-PGPUB;	
- 12 ((446/74).CCLS.) and ((aperture or hole or opening) with fill\$4) USPAT; US-PGPUB; JPO; DERWENT US-PGPUB;					
- 57 ((446/74).CCLS.) and (aperture or hole or opening)  - 135 (446/176).CCLS.  - 67 ((446/176).CCLS.) and (aperture or hole or opening)  - 68 ((446/176).CCLS.) and (aperture or hole or opening)  - 68 ((446/176).CCLS.) not (((446/176).CCLS.) and (aperture or hole or opening)  - 3287 (446/85-128).CCLS.  - 3287 (446/85-128).CCLS.		<u> </u>			
- 57 ((446/74).CCLS.) and (aperture or hole or opening)  - 135 (446/176).CCLS.  - 67 ((446/176).CCLS.) and (aperture or hole or opening)  - 68 ((446/176).CCLS.) and (aperture or hole or opening)  - 68 ((446/176).CCLS.) not (((446/176).CCLS.) and (aperture or hole or opening)  - 3287 (446/85-128).CCLS.  - 3287 (446/85-128).CCLS.	-	12	((446/74).CCLS.) and ((aperture or hole or opening) with fill\$4)	USPAT;	2003/12/01 13:30
- 135 ((446/176).CCLS.) and (aperture or hole or opening)  - 135 ((446/176).CCLS.  - 67 ((446/176).CCLS.) and (aperture or hole or opening)  - 68 ((446/176).CCLS.) not (((446/176).CCLS.) and (aperture or hole or opening)  - 3287 (446/85-128).CCLS.  - 3287 (446/85-128).CCLS.		1	, ,		
- 135 (446/176).CCLS.) and (aperture or hole or opening)  - 135 (446/176).CCLS.  - 67 ((446/176).CCLS.) and (aperture or hole or opening)  - 68 ((446/176).CCLS.) and (aperture or hole or opening)  - 3287 (446/85-128).CCLS.  - 3287 (446/85-128).CCLS.		}			
- 135 (446/176).CCLS. US-PGPUB; JPO; DERWENT USPAT; US-PGPUB; JPO;					
- 135 (446/176).CCLS.	-	57	((446/74).CCLS.) and (aperture or hole or opening)		2003/12/01 13:48
- 135 (446/176).CCLS.  - 67 ((446/176).CCLS.) and (aperture or hole or opening)  - 68 ((446/176).CCLS.) not (((446/176).CCLS.) and (aperture or hole or opening))  - 3287 (446/85-128).CCLS.  DERWENT USPAT; US-PGPUB; JPO;					
- 135 (446/176).CCLS. USPAT; US-PGPUB; JPO; DERWENT USPAT; US-PGPUB; JPO;					
- 67 ((446/176).CCLS.) and (aperture or hole or opening)  - 68 ((446/176).CCLS.) not (((446/176).CCLS.) and (aperture or hole or opening))  - 3287 (446/85-128).CCLS.  US-PGPUB; JPO; DERWENT USPAT; US-PGPUB; JPO;					
- 67 ((446/176).CCLS.) and (aperture or hole or opening)  - 68 ((446/176).CCLS.) not (((446/176).CCLS.) and (aperture or hole or opening))  - 3287 (446/85-128).CCLS.  - 3287 (446/85-128).CCLS.	-	135	(446/176).CCLS.		2003/12/01 14:02
- 67 ((446/176).CCLS.) and (aperture or hole or opening)  - 68 ((446/176).CCLS.) not (((446/176).CCLS.) and (aperture or hole or opening))  - 3287 (446/85-128).CCLS.  DERWENT USPAT; US-PGPUB; JPO;				US-PGPUB;	
- 67 ((446/176).CCLS.) and (aperture or hole or opening)  - 68 ((446/176).CCLS.) not (((446/176).CCLS.) and (aperture or hole or opening))  - 3287 (446/85-128).CCLS.  ((446/176).CCLS.) and (aperture or hole or opening)  USPAT; US-PGPUB; JPO; DERWENT USPAT; US-PGPUB; JPO; DERWENT USPAT; US-PGPUB; JPO;  USPAT; US-PGPUB; JPO;					
- 68 ((446/176).CCLS.) not (((446/176).CCLS.) and (aperture or hole or opening))  - 3287 (446/85-128).CCLS.  US-PGPUB; JPO; DERWENT US-PGPUB; JPO; DERWENT US-PGPUB; JPO; DERWENT US-PGPUB; JPO; DERWENT US-PGPUB; JPO;					
- 3287 (446/85-128).CCLS.) not (((446/176).CCLS.) and (aperture or hole or opening))  - 3287 (446/85-128).CCLS.  JPO; DERWENT USPAT; US-PGPUB; JPO; DERWENT USPAT; US-PGPUB; JPO; DERWENT USPAT; US-PGPUB; JPO;	-	67	((446/176).CCLS.) and (aperture or hole or opening)	USPAT;	2003/12/01 13:52
- 3287 ((446/176).CCLS.) not (((446/176).CCLS.) and (aperture or hole or opening))  - 3287 (446/85-128).CCLS.  DERWENT USPAT; US-PGPUB; JPO; DERWENT USPAT; US-PGPUB; JPO; US-PGPUB; JPO;					
- 68 ((446/176).CCLS.) not (((446/176).CCLS.) and (aperture or hole or opening))  - 3287 (446/85-128).CCLS.  (446/85-128).CCLS.  (3287 (446/85-128).CCLS.) and (aperture or USPAT; US-PGPUB; JPO; DERWENT USPAT; US-PGPUB; JPO;					
hole or opening))  - 3287 (446/85-128).CCLS.  US-PGPUB; JPO; DERWENT USPAT; US-PGPUB; JPO;					
- 3287 (446/85-128).CCLS. JPO; DERWENT USPAT; US-PGPUB; JPO; JPO;	-	68			2003/12/01 13:51
- 3287 (446/85-128).CCLS. DERWENT USPAT; US-PGPUB; JPO; 2003/12/01 13:52			hole or opening))	US-PGPUB;	
- 3287 (446/85-128).CCLS. USPAT; US-PGPUB; JPO; 2003/12/01 13:52					
US-PGPUB; JPO;		ļ		DERWENT	
JPO;	-	3287	(446/85-128).CCLS.		2003/12/01 13:52
DERWENT					
				DERWENT	

-	1308	((446/85-128).CCLS.) and (aperture or hole or opening)	USPAT;	2003/12/01 13:53
		, , , , , , , , , , , , , , , , , , , ,	US-PGPUB;	
			JPO;	
			DERWENT	
-	49	1 ((( , , , , , , , , , , , , , , , , ,	USPAT;	2003/12/01 13:53
		liquid	US-PGPUB;	
			JPO;	
			DERWENT	
-	17	4691828.URPN.	USPAT	2003/12/01 13:56
-	6	("3374917"   "3387749"   "3724710"   "3940013"   "4274556"	USPAT	2003/12/01 13:57
		"4386701").PN.		
] -	5	4346885.URPN.	USPAT	2003/12/01 13:59
-	8	("1600055"   "2580942"   "2706630"   "3171651"   "3181534"	USPAT	2003/12/01 14:00
		"3488782"   "3619823"   "3823426").PN.		
-	308	(446/267).CCLS.	USPAT;	2003/12/01 14:12
-			US-PGPUB;	
]			JPO;	
			DERWENT	